



# Material Safety Data Sheet

CHEMTREC Transportation  
Emergency Phone: 800-424-9300

Pittsburgh Poison Control Center  
Health Emergency No.:  
412-681-6669

NOTE: The CHEMTREC Transportation  
Emergency Phone is to be used only in the  
event of chemical emergencies involving a spill,  
leak, fire, exposure or accident involving  
chemicals

## Section 1 - Chemical Product / Company Information

**Product Name:** WRAP STRIP, Intumescent firestop strip  
**Revision Date:** 04/8/2010  
**Supercedes :** 04/20/2006  
**Product Use/Class:** FOR INDUSTRIAL USE ONLY  
**Preparer:** Technical Service Department  
**Manufacturer:** A/D Fire Protection Systems Inc.  
**Supplier:** 420 Tapscott Rd.  
Scarborough, Ontario  
M1B 1Y4  
**Tel. No.** (800) 263-4087, (416) 292-2361  
**Fax No.** (416) 298-5887

## Section 2 - Composition / Information On Ingredients

Chemical Name	CAS Number	Weight % Less Than	ACGIH TLV-TWA	ACGIH TLV-STEL	OSHA PEL-TWA	OSHA-CEIL

None as defined by OSHA Hazard Communication Standard 29 CFR 1910.1200.

## Section 3 - Hazards Identification

**Summary of Acute Hazards:** May cause skin irritation.

**Route of Exposure, Signs and Symptoms:**

**Inhalation:** Not a respiratory irritant

**Eye Contact:** Contact may cause eye irritation

**Skin Contact:** Contact may cause skin irritation

**Ingestion:** Possible Irritation to mucous membranes of the mouth, throat, and stomach

**Summary of Chronic Hazards:** None Known

**Medical Conditions Aggravated By Exposure**

Persons with pre-existing skin conditions or chemical allergies may be more susceptible to contact effects of the cured elastomer.

## Section 4 - First Aid Measures

**If Inhaled:** Not a respiratory irritant

**If on Skin:** Wash with soap and water. If irritation occurs, seek medical attention.

**If in Eyes:** Immediately flush with large amounts of water. If irritation occurs, seek medical attention

**If Swallowed:** If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

## Section 5 - Fire Fighting Measures

Flash Point: None

Lower Explosive Limit, %: N.D.

Upper Explosive Limit, %: N.D.

Extinguishing Media: Foam, Dry Chemical, Carbon Dioxide or Water Fog

Special Fire Fighting Procedures: Wear self-contained breathing apparatus (SCBA) and other protective clothing.

Unusual Fire and Explosion Hazards: Fire conditions will activate product causing intumescence to occur

## Section 6 - Accidental Release Measures

Steps to be Taken in Case the Material is Released or Spilled: Pick up debris to prevent footing hazard.

## Section 7 - Handling And Storage

Precautions To Be Taken In Handling And Storing: Do not store near heat, sparks, or open flames.

Other Precautions: Keep Out Of Reach of Children

## Section 8 - Exposure Controls / Personal Protection

Respiratory Protection (Specify Type): None required

Ventilation-Local Exhaust: N/A

Protective Gloves: Wear cut resistant gloves. Gloves may be useful to avoid contact with the skin.

Eye Protection: Safety glasses should be worn to prevent eye contact

Other Protective Clothing Or Equipment: None required

Work/Hygienic Practices: Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.

## Section 9 - Physical And Chemical Properties

Boiling Point: N/A

Appearance / Odor: Black/Mild odor

Solubility in H<sub>2</sub>O: Insoluble

Vapor Pressure (mm Hg): N/A

Specific Gravity (H<sub>2</sub>O = 1): 1.63

Melting Point: N/A

Vapor Density (Air = 1): N/A

Evaporation Rate (Ethyl Acetate = 1): N/A

(See section 16 for abbreviation legend)

## Section 10 - Stability And Reactivity

Conditions to Avoid: None

Incompatibility (Materials to Avoid): None Known

Hazardous Decomposition Products: CO, CO<sub>2</sub>, and fragmented hydrocarbons

Hazardous Polymerization: Will not occur.

Stability: This product is stable under normal storage conditions.

## Section 11 - Toxicological Information

**Chronic Health Hazards:** No ingredient in this product is an IARC, NTP or OSHA listed carcinogen

**Toxicology Data:** Ingredient name: None

## Section 12 - Ecological Information

**Ecological Data:** Ingredient name: None

Food Chain Concentration Potential N/A

Waterfowl Toxicity N/A

BOD N/A

Aquatic Toxicity N/A

## Section 13 - Disposal Information

**Waste Classification:** Non-regulated solid waste

**Disposal Method:** Approved landfill

Waste from this product is not considered hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in accordance with Federal, State, and Local regulation regarding pollution.

## Section 14 - Transportation Information

**DOT** Not Regulated

**OCEAN (IMDG):** Not Regulated

**AIR (IATA):** Not Regulated

**WHMIS (CANADA):** Not Regulated

## Section 15 - Regulatory Information

**REGULATORY DATA-** Ingredient Name: None

**SARA SECTION 313:** N/A

**TSCA Inventory:** All components listed

**CERCLA RQ:** N/A

**RCRA Code:** N/A

## Section 16 - Other Information

<b>HMIS CODES</b>	Health	1
	Flammability	0
	Reactivity	0
	PPI	B

**REASON FOR REVISION:** Changes made in Section(s): All Sections

**Legend:** N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

## Appendix A

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. **VENDOR SPECIFICALLY DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE.** In no event shall the vendor be liable for special, indirect or consequential damages.

Vendor assumes no responsibility for injury to the vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.